



Easier Wiring Harnesses Making
——让线束制造更简单——



Reliable & Stable Assistant
——可靠稳定的助手——

WIRE HARNESS ASSEMBLY JIGS.

CONTACT US

RS AUTOMATION.,CO.,LTD.

RS(XIAMEN)IMPORT &EXPORT CO.,LTD.

Tel:+865927126865 Website:www.cable-peeler.com

Email:info@cable-peeler.com

Address:Room202,2F, No.193-3,Tong ji North road,Tong'an
District, 361100,Xiamen City,China.

RONGSEN AUTOMATION &CONNECTIVITY PVT.LTD.

Tel:+865927126865 Website:www.rongsenac.com

Email:info@rongsenac.com


Address:Room202,2F, No.193-3,Tong ji North road,Tong'an
District, 361100,Xiamen City,China.




RS Wiring Harness Assembly Jigs

2022

END JIGS




Part Number	Description	Function Description	Specification
RS-TB001	T-type fork 2Pin	For end mount (Use with rubber wheel, The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelate,chromeplate) pin interval 4mm,screw thread 22MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-TB002	T-type fork 3Pin	For end mount (Use with rubber wheel, The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelate,chromeplate) pin interval 4mm,screw thread 22MM (Special size can be customized)



Part Number	Description	Function Description	Specification
RS-TB003	T-type fork 4Pin	Use for end mount (Use with rubber wheel, The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelate,chromeplate) pin interval 4mm,screw thread 22MM (Special size can be customized)



Part Number	Description	Function Description	Specification
RS-TB004	T-type fork 5Pin	For end mount (Use with rubber wheel, The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelate,chromeplate) pin interval 4mm,screw thread 22MM (Special size can be customized)



Part Number	Description	Function Description	Specification
RS-TB005	End fork U 05Pin	Use for T-type branches (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelate,chromeplate),screw thread 22MM (Special size can be customized)(U Size rule:U2- U36MM,interval 2MM) (U Size rule:U5- U50MM,interval 5MM)



Part Number	Description	Function Description	Specification
RS-TB006	End fork U10Pin	Use for branches and end mount (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelate,chromeplate),screw thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)



Part Number	Description	Function Description	Specification
RS-TB007	End fork U15Pin	Use for branches and end mount (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelate,chromeplate),screw thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)




Part Number	Description	Function Description	Specification
RS-TB008	End fork U20Pin	Use for branches and end mount (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelate,chromeplate),screw thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)



Part Number	Description	Function Description	Specification
RS-TB009	End fork U25Pin	Use for branches and end mount (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelate,chromeplate),screw thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)



Part Number	Description	Function Description	Specification
RS-TB010	End fork U30Pin	Use for T-type branches (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelate,chromeplate),screw thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)



Part Number	Description	Function Description	Specification
RS-TB011	End fork U35Pin	Use for branches and end mount(The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate), screw thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)




Part Number	Description	Function Description	Specification
RS-TB012	End fork U40Pin	Use for branches and end mount (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate), screw thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)



Part Number	Description	Function Description	Specification
RS-TB013	End fork U45Pin	Use for branches and end mount (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),scr ew thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)



Part Number	Description	Function Description	Specification
RS-TB014	End fork U50Pin	Use for branches and end mount (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickel,chromeplate), screw thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM,U Size rule: U5- U50MM, interval 5MM)




Part Number	Description	Function Description	Specification
RS-TB015	J-type end fork 05Pin	Use for branches and end mount (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),scr ew thread 22MM (Special size can be customized) J Size rule: J2- J36MM, interval 2MM,J Size rule: J5- J50MM, interval 5MM)




Part Number	Description	Function Description	Specification
RS-TB016	J-type end fork 10Pin	Use for branches and end mount (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate), screw thread 22MM (Special size can be customized) J Size rule: J2- J36MM, interval 2MM,J Size rule: J5- J50MM, interval 5MM)




Part Number	Description	Function Description	Specification
RS-TB017	J-type end fork 15Pin	Use for branches and end mount(The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),scr ew thread 22MM (Special size can be customized) J Size rule: J2- J36MM, interval 2MM,J Size rule: J5- J50MM, interval 5MM)



Part Number	Description	Function Description	Specification
RS-TB018	J-type end fork 20Pin	Use for branches and end mount (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate), screw thread 22MM (Special size can be customized) J Size rule: J2- J36MM, interval 2MM,J Size rule: J5- J50MM, interval 5MM)




Part Number	Description	Function Description	Specification
RS-TB019	J-type end fork 25Pin	Use for branches and end mount (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),scr ew thread 22MM (Special size can be customized) J Size rule: J2- J36MM, interval 2MM,J Size rule: J5- J50MM, interval 5MM)




Part Number	Description	Function Description	Specification
RS-TB020	J-type end fork 30Pin	Use for branches and end mount (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate), screw thread 22MM (Special size can be customized) J Size rule: J2-J36MM, interval 2MM,J Size rule: J5-J50MM, interval 5MM)


END JIGS




Part Number	Description	Function Description	Specification
RS-TB021	V-type end fork 03Pin	Use for flag-shaped terminal. Substrate terminal. Single terminal product mount (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),screw thread 22MM (Special size can be customized)



Part Number	Description	Function Description	Specification
RS-TB022	V-type end fork 05Pin	Use for flag-shaped terminal. Substrate terminal. Single terminal product mount (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),scr ew thread 22MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-TB023	Three pin end fork U110- L10	Use for T-type branches (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate), screw thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM,




Part Number	Description	Function Description	Specification
RS-TB024	Three pin end fork U15- L15	Use for T-type branches (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate), screw thread 22MM (Special size can be customized) (U Size rule: U2- U36MM,




Part Number	Description	Function Description	Specification
RS-TB025	Three pin end fork U20- L20	Use for T-type branches (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate), screw thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)




Part Number	Description	Function Description	Specification
RS-TB026	Three pin end fork U25- L25	Use for T-type branches (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate), screw thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)




Part Number	Description	Function Description	Specification
RS-TB027	Three pin end fork U30- L30	Use for T-type branches (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate), screw thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)



Part Number	Description	Function Description	Specification
RS-TB028	Three pin end fork U35- L35	Use for T-type branches (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate), screw thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)



Part Number	Description	Function Description	Specification
RS-TB029	Three pin end fork U40- L40	Use for T-type branches (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate), screw thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)



Part Number	Description	Function Description	Specification
RS-TB030	Three pin end fork U45- L45	Use for T-type branches (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate), screw thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)




Part Number	Description	Function Description	Specification
RS-TB031	Three pin end fork U50- L50	Use for T-type branches (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),screw thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)



Part Number	Description	Function Description	Specification
RS-TB032	Four pin end fork U10- L10	Use for T-type branches (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),screw thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)



Part Number	Description	Function Description	Specification
RS-TB033	Four pin end fork U15- L15	Use for branches and end mount (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),screw thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)



Part Number	Description	Function Description	Specification
RS-TB034	Four pin end fork U20- L20	Use for T-type branches (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),screw thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)



Part Number	Description	Function Description	Specification
RS-TB035	Four pin end fork U25- L25	Use for T-type branches (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),screw thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)



Part Number	Description	Function Description	Specification
RS-TB036	Four pin end fork U30- L30	Use for T-type branches (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),screw thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)



Part Number	Description	Function Description	Specification
RS-TB037	Four pin end fork U35- L35	Use for T-type branches (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),screw thread 22MM (Special size can be customized) J Size rule: J2- J36MM, interval 2MM,J Size rule: J5- J50MM, interval 5MM)



Part Number	Description	Function Description	Specification
RS-TB038	Four pin end fork U40- L40	Use for T-type branches (The bottom is used with a fixed bar or a bend fixture)	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate),screw thread 22MM (Special size can be customized) (U Size rule: U2- U36MM, interval 2MM) (U Size rule: U5- U50MM, interval 5MM)



Part Number	Description	Function Description	Specification
RS-TB039	Plastic spring Hang clip (unilateral) U10	Use for long cable hanging and tidying	Material: ABS+iron electroplate, galvanize screw thread: 18MM 35MM



Part Number	Description	Function Description	Specification
RS-TB040	Plastic spring Hang clip (unilateral) U15	Use for long cable hanging and tidying	Material: ABS+iron electroplate, galvanize screw thread: 18MM 35MM

END JIGS



Part Number	Description	Function Description	Specification
RS-TB042	Plastic spring Hang clip U20	Use for long cable hanging and tidying	Material: ABS+iron electroplate, galvanize screw thread: 18MM 35MM



Part Number	Description	Function Description	Specification
RS-TB043	Plastic spring Hang clip U25	Use for long cable hanging and tidying	Material: ABS+iron electroplate, galvanize screw thread: 18MM 35MM



Part Number	Description	Function Description	Specification
RS-TB044	Plastic spring Hang clip U30	Use for long cable hanging and tidying	Material: ABS+iron electroplate, galvanize screw thread: 18MM 35MM



Part Number	Description	Function Description	Specification
RS-TB045	Plastic spring Hang clip U40	Use for long cable hanging and tidying	Material: ABS+iron electroplate, galvanize screw thread: 18MM 35MM



Part Number	Description	Function Description	Specification
RS-TB046	Plastic spring Hang clip U50	Use for long cable hanging and tidying	Material: ABS+iron electroplate, galvanize screw thread: 18MM 35MM



Part Number	Description	Function Description	Specification
RS-TB047	Plastic Hang clip U20	Use for long cable hanging and tidying	Material: ABS+iron electroplate, galvanize screw thread: 18MM 35MM



Part Number	Description	Function Description	Specification
RS-TB048	Plastic Hang clip U25	Use for long cable hanging and tidying	Material: ABS+iron electroplate, galvanize screw thread: 18MM 35MM



Part Number	Description	Function Description	Specification
RS-TB049	Plastic Hang clip U30	Use for long cable hanging and tidying	Material: ABS+iron electroplate, galvanize screw thread: 18MM 35MM



Part Number	Description	Function Description	Specification
RS-TB050	Silicone sheet Hang clip U6	Use for single wire (Keep cable tidy)	Material: ABS+iron electroplate, galvanize screw thread: 18MM 35MM



Part Number	Description	Function Description	Specification
RS-TB051	Silicone sheet Hang clip U10	Use for single wire (Keep cable tidy)	Material: ABS+iron electroplate, galvanize screw thread: 18MM 35MM



Part Number	Description	Function Description	Specification
RS-TB052	Silicone sheet Hang clipU10 (with a hole)	Use for single wire (Keep cable tidy)	Material: Silicone+ABS+iron electroplate



Part Number	Description	Function Description	Specification
RS-TB053	Silicone sheet Hang clipU18 (with a hole)	Use for single wire (Keep cable tidy)	Material: Silicone+ABS+iron electroplate




Part Number	Description	Function Description	Specification
RS-TB054	Silicone sheet Hang clipU18 (with a hole and a seam)	Use for single wire (Keep cable tidy)	Material: Silicone+ABS+iron electroplate


COMMON JIGS




Part Number	Description	Function Description	Specification
RS-CG001	2pin fork	Use for end sheath mount	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelate,chromeplate) Leg length: 110MM and 130MM screw thread :35MM pin interval: 4mm (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG002	3pin fork	Use for end sheath mount	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelate,chromeplate) Leg length: 110MM and 130MM screw thread :35MM pin interval: 4mm (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG003	4pin fork	Use for end sheath mount	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelate,chromeplate) Leg length: 110MM and 130MM screw thread :35MM pin interval: 4mm (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG004	Plastic fork 2pin	Use for end sheath mount	Material: ABS+iron electroplate+Stainless steel (galvanize,nickelate,chromeplate) pin interval: 4mm




Part Number	Description	Function Description	Specification
RS-CG005	Plastic fork 3pin	Use for end sheath mount	Material: ABS+iron electroplate+Stainless steel (galvanize,nickelate,chromeplate) pin interval: 4mm




Part Number	Description	Function Description	Specification
RS-CG006	Plastic fork 4pin	Use for end sheath mount	Material: ABS+iron electroplate+Stainless steel (galvanize,nickelate,chromeplate) pin interval: 4mm




Part Number	Description	Function Description	Specification
RS-CG007	U-type jig U2	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelate,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)



Part Number	Description	Function Description	Specification
RS-CG008	U-type jig U5	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelate,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG009	U-type jig U10	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelate,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)



Part Number	Description	Function Description	Specification
RS-CG010	U-type jig U15	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelate,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)



Part Number	Description	Function Description	Specification
RS-CG011	U-type jig U20	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelate,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)



Part Number	Description	Function Description	Specification
RS-CG012	U-type jig U25	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelate,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)



Part Number	Description	Function Description	Specification
RS-CG013	U-type jig U30	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelate,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Declaration	Specification
RS-CG014	U-type jig U35	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelate,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG015	U-type jig U40	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelate,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG017	U-type jig U50	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG018	J-type J05	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG019	J-type J10	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG020	J-type J15	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG021	J-type J20	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG022	J-type J25	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG023	J-type J30	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG024	3pin U-type jig U10- L10	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG025	3pin U-type jig U15- L15	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG026	3pin U-type jig U20- L20	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG027	3pin U-type jig U25- L25	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread φ35MM (Special size can be customized).




Part Number	Description	Function Description	Specification
RS-CG028	in U-type jig U30- L30	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG029	3pin U-type jig U35- L35	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG030	pin U-type jig U40- L40	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG031	3pin U-type jig U45- L45	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG032	3pin U-type jig U50- L50	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickel,age,chromeplate) Le length: 110MM and 130MM screw thread :35MM (Special size can be customized)



Part Number	Description	Function Description	Specification
RS-CG033	3pin U-type jig U60- L60	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG034	4pin U-type jig U10- L10	Use for long cable hanging and tidying	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG035	4pin U-type jig U15- L15	Use for long cable hanging and tidying	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG036	4pin U-type jig U20- L20	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG037	4pin U-type jig U25- L25	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG038	4pin U-type jig U30- L30	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG039	4pin U-type jig U35- L35	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG040	4pin U-type jig U40- L40	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG041	4pin U-type jig U45- L45	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG042	pin U-type jig U50- L50	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG043	4pin U-type jig U60- L60	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG044	Terminal fixing jig Ø3	Use for fixing round hole terminals	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG045	Terminal fixing jig Ø4	Use for fixing round hole terminals	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG046	Terminal fixing jig Ø5	Use for fixing round hole terminals	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG047	Terminal fixing jig Ø6	Use for fixing round hole terminals	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG048	Terminal fixing jig Ø8	Use for fixing round hole terminals	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 110MM and 130MM screw thread :35MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-CG049	Bend fixture 2pin	Use for end sheath mount,bendable	Material: ABS+galvanize screw thread 28mm (Special color can be customized)




Part Number	Description	Function Description	Specification
RS-CG050	Bend fixture 3pin	Use for end sheath mount,bendable	Material: ABS+galvanize screw thread 28mm (Special color can be customized)




Part Number	Description	Function Description	Specification
RS-CG051	Bend fixture L50	Use for branch and locating bendable (Use with end jigs)	Material: ABS+galvanize screw thread 28mm (Special color can be customized)




Part Number	Description	Function Description	Specification
RS-CG052	Bend fixture L70	Use for branch and locating bendable (Use with end jigs)	Material: ABS+galvanize screw thread 28mm (Special color can be customized)



Part Number	Description	Function Description	Specification
RS-CG053	Bend fixture L90	Use for branch and locating bendable (Use with end jigs)	Material: ABS+galvanize screw thread 28mm (Special color can be customized)




Part Number	Description	Function Description	Specification
RS-CG054	Bend fixture 70	Use for branch and locating bendable (Use with end jigs)	Material: ABS+galvanize screw thread 28mm (Special color can be customized)




Part Number	Description	Function Description	Specification
RS-CG055	Bend fixture 90	Use for branch and locating bendable (Use with end jigs)	Material: ABS+galvanize screw thread 28mm (Special color can be customized)



Part Number	Description	Function Description	Specification
RS-CG056	New Bend fixture L50	Use for branch and locating bendable (Use with end jigs)	Material: ABS+galvanize screw thread 28mm (Special color can be customized)



Part Number	Description	Function Description	Specification
RS-CG057	New Bend fixture L70	Use for cable branch and locating	Material: ABS+galvanize screw thread 28mm (Special color can be customized)




Part Number	Description	Function Description	Specification
RS-CG058	New Bend fixture L90	Use for branch and locating bendable (Use with end jigs)	Material: ABS+galvanize screw thread 28mm (Special color can be customized)




Part Number	Description	Function Description	Specification
RS-CG059	Adjustable jig	Use for intensive branch	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM pin interval: 4mm Base dimension:43mm*20mm (Special size can be customized)


BASE JIGS




Part Number	Description	Function Description	Specification
RS-DZ001	T-type base fork 2pin	Use for end sheath mount,lock on the	Use for end sheath mount,lock on the tooling plate with screw.




Part Number	Description	Function Description	Specification
RS-DZ002	J-type J30	Use for end sheath mount,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM pin interval: 4mm Base dimension:43mm*20mm (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ003	T-type base fork 4pin	Use for end sheath mount,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM pin interval: 4mm Base dimension:43mm*20mm (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ004	T-type base fork V03	Use for end sheath mount,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:43mm*20mm (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ005	T-type base fork U05	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:43mm*20mm (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ006	T-type base fork U10	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:43mm*20mm (Special size can be customized)



Part Number	Description	Function Description	Specification
RS-DZ007	T-type base fork U15	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:43mm*20mm (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ008	L-type base 4pin fork U10	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ009	L-type base 4pin fork U15	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ010	L-type base 4pin fork U20	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ011	L-type base 4pin fork U25	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ012	L-type base 4pin fork U30	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ013	L-type base 4pin fork U35	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)



Part Number	Description	Function Description	Specification
RS-DZ014	L-type base 4pin fork U40	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ015	L-type base 4pin fork U45	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ016	L-type base 4pin fork U50	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ017	L-type base 3pin fork U10	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ018	L-type base 3pin fork U15	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ019	L-type base 3pin fork U20	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ020	L-type base 3pin fork U25	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ021	L-type base 3pin fork U30	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length : 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ022	L-type base 3pin fork U35	Use for cable branch and locating,lock on the tooling plate with screw.	Material : iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ023	L-type base 3pin fork U40	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ024	L-type base 3pin fork U45	Use for cable branch and locating,lock on the tooling plate with screw.	Material : iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length : 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ025	L-type base 3pin fork U50	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ026	L-type base 3pin fork U60	Use for cable branch and locating,lock on the tooling plate with screw.	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM Base dimension:56mm*20mm (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ027	Circular base fork-U30	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ028	Circular base fork-6pin		Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ029	Circular base fork-3pin U20	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ030	Circular base fork-3pin U30	Use for cable branch and locating	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 85MM and 105MM (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ031	L-type Fixation pole		Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 50、60、70、80、90、100、110 (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ032	L-type tape hanging jig		Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) (Special size can be customized)



Part Number	Description	Function Description	Specification
RS-DZ034	L-type fixed bar		Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 50、60、70、80、90、100、110 (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ035	Circular base fixed bar		Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 50、60、70、80、90、100、110 (Special size can be customized)




Part Number	Description	Function Description	Specification
RS-DZ036	Circular base φ6MM Terminal fixing jig		Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) (Special size can be customized)


AUXILIARY JIGS




Part Number	Description	Function Description	Specification
RS-FZ001	sheath screw L90	Use for sheath jigs	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Leg length: 70、80、90、100、110、120、130、




Part Number	Description	Function Description	Specification
RS-FZ002	fixed bar (Tiger tooth gasket)	internal thread M6, external thread M8	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate)




Part Number	Description	Function Description	Specification
RS-FZ003	fixed bar	internal thread M6, external thread M8	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate)




Part Number	Description	Function Description	Specification
RS-FZ004	L34*94 Cable tie jig	Use for cable tie jigs connecting	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate)



Part Number	Description	Function Description	Specification
RS-FZ005	L30*30Cable tie jig	Use for cable tie jigs connecting	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate)




Part Number	Description	Function Description	Specification
RS-FZ006	locating bar		Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate)




Part Number	Description	Function Description	Specification
RS-FZ007	cable binding band	Use for binding the cables	Material: ABS+Silicone (white,green etc)



Part Number	Description	Function Description	Specification
RS-FZ008	Spring locating bar	Use for tape positioning	Material: iron electroplate and Stainless steel electroplate(galvanize,nickelage,chromeplate) Highth 80MM,102MM,105MM



Part Number	Description	Function Description	Specification
RS-FZ009	positioning mark	Use for tape positioning	Material: iron electroplate+silicone(galvanize,nickelage,chromeplate) Highth 102MM



Part Number	Description	Function Description	Specification
RS-FZ010	positioning mark	Use for tape positioning	Material: iron electroplate+silicone(galvanize,nickelage,chromeplate) Highth 102MM




Part Number	Description	Function Description	Specification
RS-FZ011	Cable hanging jig		Material: Nylon+Stainless steel



Part Number	Description	Function Description	Specification
RS-FZ012	Cable hanging jig		Material: Nylon+Stainless steel




Part Number	Description	Function Description	Specification
RS-FZ013	Terminal withdraw tool		Material: ABS+ steel



Part Number	Description	Function Description	Specification
RS-FZ017	Corrugated Tube Tool (Small, White)		W125mm*H75mm; For insertion of corrugated tube with O.D. 9mm-40mm




Part Number	Description	Function Description	Specification
RS-FZ018	Corrugated Tube Tool (Wide Edge)		For insertion of corrugated tube with O.D. 28mm-45mm




Part Number	Description	Function Description	Specification
RS-FZ019	Corrugated Tube Tool (Narrow Edge)		For insertion of corrugated tube with O.D. 9mm-28mm




Part Number	Description	Function Description	Specification
RS-FZ020	Wire block	Use for Lean tube(enhanced type)	Diameter:28mm







Part Number	Description	Function Description	Specification
RS-FZ022	Wire block	Use for Lean tube	Diameter:28mm




Part Number	Description	Function Description	Specification
RS-FZ023	Plastic terminal cup	Use for protecting the terminal	Diameter:38mm



Part Number	Description	Function Description	Specification
RS-FZ024	Plastic terminal cup	Use for protecting the terminal	Diameter:50mm

	Part Number	Description	Function Description	Specification
	RS-FZ025	Plastic terminal cup	Use for protecting the terminal	Diameter:60mm
	Part Number	Description	Function Description	Specification
	RS-FZ026	Plastic terminal cup	Use for protecting the terminal	Diameter:70mm
	Part Number	Description	Function Description	Specification
	RS-FZ027	Plastic terminal cup	Use for protecting the terminal	Diameter:90mm
	Part Number	Description	Function Description	Specification
	RS-FZ028	board protecting band		Material:aluminium profile
	Part Number	Description	Function Description	Specification
	RS-FZ029	angle encaseing		
	Part Number	Description	Function Description	Specification
	RS-FZ030	Thread clamp jig		
	Part Number	Description	Function Description	Specification
	RS-FZ031	2Pin		
	Part Number	Description	Function Description	Specification
	RS-FZ032	Silicone wheel		
	Part Number	Description	Function Description	Specification
	RS-FZ033	sheath jig 3pin		
	Part Number	Description	Function Description	Specification
	RS-FZ034	sheath jig 5pin		

	Part Number	Description	Function Description	Specification
	RS-FZ035	Connect buckle		Material: iron electroplate (galvanize,nickelage,chromeplate)
	Part Number	Description	Function Description	Specification
	RS-FZ036	electrical testing table cover board		Dimension: 100*50MM
	Part Number	Description	Function Description	Specification
	RS-FZ037	electrical testing table cover board		Dimension: 100*100MM
	Part Number	Description	Function Description	Specification
	RS-FZ038			
	Part Number	Description	Function Description	Specification
	RS-FZ039	Testing jig	Use for breakover testing	Accordance with the sample custom
	Part Number	Description	Function Description	Specification
	RS-FZ040	Plastice clamp	Use for breakover testing	Highth:40mm 60mm
	Part Number	Description	Function Description	Specification
	RS-FZ041	slotted square tube		80*75/103*75 Length: 4m/pcs, Cut the length as required. Material:PVC
	Part Number	Description	Function Description	Specification
	RS-FZ042	Forepart	Use with square tube	Size mating the square tube
	Part Number	Description	Function Description	Specification
	RS-FZ043	brim shield	Use with square tube	Size mating the square tube
	Part Number	Description	Function Description	Specification
	RS-FZ044	End cap	Use with square tube	Size mating the square tube



Part Number	Description	Function Description	Specification
RS-FZ045	swerve	Use with square tube	Size mating the square tube



Part Number	Description	Function Description	Specification
RS-FZ046	Plastic terminal cup	Housing holder	



Part Number	Description	Function Description	Specification
RS-FZ047	Gum holder		



Part Number	Description	Function Description	Specification
RS-FZ048	Cable tie jig		



Part Number	Description	Function Description	Specification
RS-FZ049	cable tie cutter		



Part Number	Description	Function Description	Specification
RS-FZ050	Metal Bend fixture		



Part Number	Description	Function Description	Specification
RS-FZ051	M6-M8 Screwc		




Part Number	Description	Function Description	Specification
RS-FZ052	Spring bend fork		



Part Number	Description	Function Description	Specification
RS-FZ053	vacuum chuck	Use with LED viewing screen	



Part Number	Description	Function Description	Specification
RS-FZ054	Cable clamping tool		



Part Number	Description	Function Description	Specification
RS-FZ055	Cable clamping tool		



Part Number	Description	Function Description	Specification
RS-FZ056	Tape cutter		



Part Number	Description	Function Description	Specification
RS-FZ057	Tape Cutter		



Part Number	Description	Function Description	Specification
RS-FZ058	Tape Cutter		



Part Number	Description	Function Description	Specification
RS-FZ059	Tape Cutter		



Part Number	Description	Function Description	Specification
RS-FZ060	Cable tie fulling and cutting tool		



Part Number	Description	Function Description	Specification
RS-FZ061	Wire separating		



Part Number	Description	Function Description	Specification
RS-FZ062	wire clip(Soft,blue)		



Part Number	Description	Function Description	Specification
RS-FZ063	Plastic clip		



Part Number	Description	Function Description	Specification
RS-FZ064	Plastic clip		




Part Number	Description	Function Description	Specification
-------------	-------------	----------------------	---------------

RS-FZ065 Plastic clip



Part Number	Description	Function Description	Specification
-------------	-------------	----------------------	---------------

RS-FZ066 Plastic clip



Part Number	Description	Function Description	Specification
-------------	-------------	----------------------	---------------

RS-FZ067 Double outlet front cap
use with square tube size 103*75mm


Part Number	Description	Function Description	Specification
-------------	-------------	----------------------	---------------

RS-FZ068 slotted square tube
105*75mm length395mm


Part Number	Description	Function Description	Specification
-------------	-------------	----------------------	---------------

RS-FZ069 Plastic bar for spring wire clip



Part Number	Description	Function Description	Specification
-------------	-------------	----------------------	---------------

RS-FZ070 silicone band
L100mm*W5mm*T1.9mm*Depth of Tooth



Part Number	Description	Function Description	Specification
-------------	-------------	----------------------	---------------

RS-FZ071 silicone band
L42mm*W5mm*T1.5mm


Part Number	Description	Function Description	Specification
-------------	-------------	----------------------	---------------

RS-FZ072 silicone band
L77*W5mm*T1.6mm


Part Number	Description	Function Description	Specification
-------------	-------------	----------------------	---------------

RS-FZ073 silicone band
L57mm*W5mm*T1.5mm


Part Number	Description	Function Description	Specification
-------------	-------------	----------------------	---------------

RS-FZ074 silicone tooth strip
L100(110.150.200)mm*W5mm*T1.8mm
Depth of Tooth:3.7mm


Part Number	Description	Function Description	Specification
-------------	-------------	----------------------	---------------

RS-FZ075 Cable hanging jig (single)



Part Number	Description	Function Description	Specification
-------------	-------------	----------------------	---------------

RS-FZ076 ES-9 扎带枪



Part Number	Description	Function Description	Specification
-------------	-------------	----------------------	---------------

RS-FZ077 Cable tie fulling and cutting tool



Part Number	Description	Function Description	Specification
-------------	-------------	----------------------	---------------

RS-FZ078 Plastic clip



Part Number	Description	Function Description	Specification
-------------	-------------	----------------------	---------------

RS-FZ079 Grommet expand tool (15mm)



Part Number	Description	Function Description	Specification
-------------	-------------	----------------------	---------------

RS-FZ080 Grommet expand tool (20mm)



Part Number	Description	Function Description	Specification
-------------	-------------	----------------------	---------------

RS-FZ081 Grommet expand tool (25mm)




Part Number	Description	Function Description	Specification
-------------	-------------	----------------------	---------------

RS-FZ082 Plastic clip



Part Number	Description	Function Description	Specification
-------------	-------------	----------------------	---------------

RS-FZ083 Plastic clip



Part Number	Description	Function Description	Specification
-------------	-------------	----------------------	---------------

RS-FZ084 Cable Clamp (White) L40



Part Number	Description	Function Description	Specification
RS-FZ085	Cable Clamp (White) L50		



Part Number	Description	Function Description	Specification
RS-FZ086	Corrugated Tube Tool (Narrow Edge)		Color: blue/black; For insertion of corrugated tube with O.D. 15mm-20mm



Part Number	Description	Function Description	Specification
RS-FZ087	Spring Positioning Mark		Screw: M8, head length: 35mm, thread length: 30mm, total length: 115mm; Material: Chromeplate



Part Number	Description	Function Description	Specification
RS-FZ088	slotted square tube		41*56mm




Part Number	Description	Function Description	Specification
RS-FZ089	Corrugated Tube Tool (Narrow Edge; Gray)		For insertion of corrugated tube with O.D. 10mm-15mm




Part Number	Description	Function Description	Specification
RS-FZ090	Tape Cutter (integrated injection molding)		



Part Number	Description	Function Description	Specification
RS-FZ091	Terminal Removal Tool Kit (26-piece set)		




Part Number	Description	Function Description	Specification
RS-FZ092	Bendable Jig		



Part Number	Description	Function Description	Specification
RS-FZ093	Spring Bendable Jig		



Part Number	Description	Function Description	Specification
RS-FZ014	Corrugated Tube Tool		For insertion of corrugated tube with O.D. 5mm-10mm



Part Number	Description	Function Description	Specification
RS-FZ015	Corrugated Tube Tool		W70mm*H73mm;For insertion of corrugated tube with O.D. 5mm-20mm



Part Number	Description	Function Description	Specification
RS-FZ016	Corrugated Tube Tool		W140mm*H90mm;For insertion of corrugated tube with O.D. 20mm-45mm